

City of Burien

Site Plan Record

BUR 02-0979-LU-A

Date Issued.....:11/1/02

Issued By MaryG

Temporary Use Permit

Date Expires.....:11/1/03

Project Info

Description: Use of Church Property for Temporary Housing

Parcel Number 182304 9095

Site Address: 13015 1St Ave S

Applicant Name : Share/Wheel

Site Info

Assigned to:

Project Valuation

Other Information Needed

SEPA Review

SEPA Action:

Action Date :

Design Review:

Admin. Review:

Variance

Comments:

Traffic Control

Water Retention

Binding Site Plan

Shoreline Review

Wetland Review

LLE

Fee Info

Fee Name	Date Recd	Fee Amount	Entered by
Temporary Use Permit	11/1/02	\$60.00	Mary G
RECEIPT # 02-1478	11/1/02		Mary G
	Total Fee Paid	\$60.00	

Names Associated with this Project

Type	Company	Phone Number	Lisc Number	Exp Date
Other	Share/Wheels Tent City 3	206-448-7889		

Project Valuations

Locale	Construction Type	SqFt	Cost Per SqFt	Valuation
--------	-------------------	------	---------------	-----------

I certify that the information furnished by me in this application is true and correct to the best of my knowledge and that all applicable codes will be met. I further certify that I am the owner of the above forementioned property or I am authorized to act in the owner's behalf with regard to the application of this permit.

Please Print Name

SCOTT GREENBERG

Signature

Scott Greenberg

Date

11/1/02

Issued By

Mary G

Date

11/1/02

City of Burien

List of Conditions for Permit Number BUR-02-0979-LU-A

Special Condition	Tent membranes shall be of either non-combustible material or flame retardent conforming to UBC Standard 31-1
Special Condition	Open flame devices, electric stoves, hot plates and any other form of equipment used for the preparation of food or any other reason shall not be used and are not permitted within the confines of a tent, canopy or temporary membrane structure.
Special Condition	The floor surface inside a temporary membrane structure, tent or canopy and the ground outside and within a 30' perimeter shall be clear of all combustible waste. Such waste shall be stored in approved containers until removed from the site. Straw, hay and similar combustible materials shall not be stored inside or within 30' feet of a membrane structure, canopy or tent.
Special Condition	Smoking shall not be allowed in temporary membrane structures, tents or canopies or in adjacent areas where hay, straw, sawdust or othe combustible materials are stored or used. No Smoking signs shall be conspicuously posted as approved by the Fire Marshal.
Special Condition	An approved minimum 2-A 10BC rated fire extinguisher shall be approved with current certification and within 75 feet of any temporary membrane structure, tent or conopy. All locations shall be approved by the Fire Marshal.
Special Condition	Sufficient space for emergency personnel shall be maintained between individual tents. Main aisles shall be 48" and secondary aisles shall be not less than 36". Spacing shall be approved by Fire Marshal.
Special Condition	Extension cords shall be minimum 14 gauge wire with ground <ol style="list-style-type: none"> 1. Extension cords shall be used with portable appliances while such appliances are in immediate use. 2. Extension cords shall be plugged directly into an approved GCFI receptacle and serve only one appliance 3. Extension cords shall be maintained in good condition without splices, deterioration or damage. Cords shall be protected from vehicular damage. 5. The extension cords shall be grounded when servicing grounded equipment.
Special Condition	The site shall be provided with access to facilities with hot water for sanitation purposes. The site shall be equipped with sanitation facilities maintained in an approved manner. All sanitation facilities as well as scheduled maintenance shall be approved by the Building Official.
Special Condition	This permit is valid until January 2, 2003.
Special Condition	Only a single point of entrance/exit is allowed. This entrance/exit point shall face 1st Avenue South.