



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

June 7, 2021

The City of Sunnyside is accepting sealed bids for their 2021-2022 supply of maintenance rock. All bids are due back to the Public Works Department located at City Hall, 818 E. Edison Ave., Sunnyside, WA 98944 no later than **Friday, July 16, 2021** at 3:00 p.m. and shall be submitted on the attached quotation form.

All rock shall conform to the attached specifications, including the specification that addresses coloration of the rock. Please feel free to contact the Street Division Supervisor, Jaime Alvarez, with any questions you may have in relation to this request for quotes.

Sincerely,

CITY OF SUNNYSIDE

Shane Fisher
Director of Public Works/
Community Development



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

3/8" CRUSHED AGGREGATE

SPECIFICATIONS

Crushed screening
Percent Passing

1/2" square	100
3/8" square	97-100
1/4" square	60-88
U.S. #4	0
U.S. #8	0
U.S. #10	32-53
U.S. #40	11-24
U.S. #200	3.0-7.0

All percentages are by weight.

The material shall meet the requirements for grading upon delivery to the City of Sunnyside stockpile.

The fracture requirement shall be at least on fractured face and will apply to material retained on each sieve size U.S. #10 and above if that sieve retains more than 5 percent of the total sample.

The finished product shall be clean, uniform in quality, and free from wood, bark, roots, and other deleterious materials.



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Friday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 200 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL _____ 1/4" 3/8" 5/8" 1 1/4" BST CHIPS
(circle one)

DATE _____ PRICE QUOTE (per ton) _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

5/8" CRUSHED AGGREGATE

SPECIFICATIONS

Crushed Screening
Percent Passing

5/8" square	100
1/4" square	55-75
U.S. #40	8-24
U.S. #200	10.0 max.
% fracture	75 min.
sand equivalent	40 min.

All percentages are by weight.

The material shall meet the requirements for grading upon delivery to the City of Sunnyside stockpile.

The fracture requirement shall be at least on fractured face and will apply to material retained on each sieve size U.S. #10 and above if that sieve retains more than 5 percent of the total sample.

The finished product shall be clean, uniform in quality, and free from wood, bark, roots, and other deleterious materials.



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Friday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 1,000 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL _____ 1/4" 3/8" 5/8" 1 1/4" BST CHIPS
(circle one)

DATE _____ PRICE QUOTE (per ton) _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

1 1/4" CRUSHED AGGREGATE

SPECIFICATIONS

Crushed Screening
Percent Passing

1 1/4" square	100
5/8" square	50-80
1/4" square	30-50
U.S. #40	3-18
U.S. #200	7.5 max.
% fracture	75 min.
sand equivalent	40 min.

All percentages are by weight.

The material shall meet the requirements for grading upon delivery to the City of Sunnyside stockpile.

The fracture requirement shall be at least on fractured face and will apply to material retained on each sieve size U.S. #10 and above if that sieve retains more than 5 percent of the total sample.

The finished product shall be clean, uniform in quality, and free from wood, bark, roots, and other deleterious materials.



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Friday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 100 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL _____ 1/4" 3/8" 5/8" 1 1/4" BST CHIPS
(circle one)

DATE _____ PRICE QUOTE (per ton) _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

3/8" BITUMINOUS SURFACE TREATMENT ROCK

SPECIFICATIONS

Crushed Screening
Percent Passing

1/2" square	100
3/8" square	95-100
1/4" square	20-40
U.S. #10	0-3
U.S. #200	0-1
% fracture	75 min.
sand equivalent	0 min.
static stripping test	pass

All percentages are by weight.

The material shall meet the requirements for grading upon delivery to the City of Sunnyside stockpile.

The fracture requirement shall be at least on fractured face and will apply to material retained on each sieve size U.S. #10 and above if that sieve retains more than 5 percent of the total sample.

The finished product shall be clean, uniform in quality, and free from wood, bark, roots, and other deleterious materials.

The finished material shall be gray in color.



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Friday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 2,000 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL _____ 1/4" 3/8" 5/8" 1 1/4" BST CHIPS
(circle one)

DATE _____ PRICE QUOTE (per ton) _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

ROAD SAND

SPECIFICATIONS

Crushed Screening
Percent Passing

5/16" square	100
U.S. #10	0-60
U.S. #200	0-5
sand equivalent	40 min.

All percentages are by weight.

The material shall meet the requirements for grading upon delivery to the City of Sunnyside stockpile.

The fracture requirement shall be at least on fractured face and will apply to material retained on each sieve size U.S. #10 and above if that sieve retains more than 5 percent of the total sample.

The finished product shall be clean, uniform in quality, and free from wood, bark, roots, and other deleterious materials.



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Friday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 500 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL 1/4" 3/8" 5/8" 1 1/4" BST CHIPS ROAD SAND
(circle one)

DATE _____ PRICE QUOTE (per ton) _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____



Department of Public Works

818 East Edison Avenue

Sunnyside, WA 98944

Office: 509-837-5206 • Fax: 509-837-3268

SUPPLIER REQUIREMENTS

Gradation compliance tests shall be performed by a competent materials testing lab at the expense of the supplier, with a certified copy of results to be provided to the City of Sunnyside.

All material shall be delivered to the City of Sunnyside Public Works Department storage yard. Delivery times and dates (spring or fall) will be determined by the City based upon need and coordinated with the provider.

Certified scale weight tickets shall be provided for each load delivered at the time of delivery.

Deliveries shall be accepted Monday through Thursday between 7:00 am and 4:20 pm, with the exception of nationally recognized holidays.

Price quotes shall be F.O.B. City of Sunnyside Public Works Department, 1509 S. 6th St., Sunnyside, Washington.

Payment for material shall be made by the City of Sunnyside no later than 30 days after the material is received and billed.

Approximate amount of material needed by the City of Sunnyside will be 100 tons.

The length of this agreement shall be for a period of one year from the date of acceptance, and thereafter from year to year for two additional years contingent upon the approval of both parties.

MATERIAL 1/4" 3/8" 5/8" 1 1/4" BST CHIPS ROAD SAND DRAIN ROCK
(circle one)

DATE _____ **PRICE QUOTE (per ton)** _____

VENDOR NAME _____

ADDRESS _____

TELEPHONE # _____

WA STATE REGISTRATION # _____

AUTHORIZED SIGNATURE _____